



PRODUCT COMPLIANCE SCHEDULE

Dongguan Dongfa Glass Product Co. Ltd.

Xialingbei Industrial District, Liaobu Town, Dongguan City,
Guangdong Province, China.

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

AS/NZS 2208:1996 Safety glazing materials in buildings (Including Amendment 1)


Product Description	Laminated float safety glazing materials, (PVB interlayer) Toughened laminated safety glazing materials (PVB interlayer)
Classification	Grade "A"
Nominal Glass Thickness	6.38 mm to 16.38 mm Float Laminated glass 8.38 mm to 16.38 mm Toughened Laminated glass
Maximum Glass Size	2440mm x 7000mm
Glass Colours	Blue, Bronze, Clear, Green, Grey and White
PVB Brands	Beidou
PVB Nominal Thickness	0.38mm to 1.52mm

This schedule supersedes any previously issued schedule.

Assessment ID No: CSI-7033
Issue date: 21st November 2011
Schedule No: S2-Rev1-2011-11

Certification date: 23rd October 2010
Expiry date: 23rd November 2012

PAS-Mark


Azma Khan
Managing Director
Certification Solutions
International Pty Ltd

