



PRODUCT COMPLIANCE SCHEDULE

# Beijing Wuhua Tianbao Glass Co. Ltd.

No. 1, Renli Road, Liqiao Town, Shunyi District, Beijing 101311, China.

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

## AS/NZS 2208:1996 Safety glazing materials in buildings (Including Amendment 1)

|                                |  |
|--------------------------------|--|
| <b>Product Description</b>     | Laminated float safety glazing materials,<br>Toughened laminated safety glazing materials.<br>(PVB interlayer) |
| <b>Classification</b>          | Grade "A"  |
| <b>Nominal Glass Thickness</b> | 6.38 mm to 16.38 mm Laminated float glass<br>8.38 mm to 16.38 mm Toughened Laminated float glass               |
| <b>Maximum Glass Size</b>      | 2440mm × 6500mm.   |
| <b>Glass Colours</b>           | Blue, Bronze, Clear, Green, Grey and White   |
| <b>PVB Brand</b>               | Solutia  |
| <b>PVB Nominal Thickness</b>   | 0.38mm to 1.52mm   |

*This schedule supersedes any previously issued schedule.*

**Assessment ID No:** CSI-7068

**Certification date:** 2<sup>nd</sup> December 2011

**Issue date:** 28<sup>th</sup> December 2011

**Expiry date:** 23<sup>rd</sup> December 2012

**Schedule No:** S2-Rev1-2011-12

# PAS-Mark

  
**Azma Khan**  
Managing Director  
Certification Solutions  
International Pty Ltd

