PRODUCT COMPLIANCE SCHEDULE

BR Durham & Sons Pty Ltd

ABN 74 105 893 007

Lot 103 Curtis Road, Mulgrave, NSW 2756, Australia

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

AS 4198:1994 Precast concrete access chambers for sewage applications

PRODUCT CODE	MATERIAL & MANUFACTURE COMONENTS	CLASSIFICATIONS
P444, P446, R441, R443 P666, P669, R661, R663, R666 P966, P969, R961, R963, R966 P779, R771, R773, R776 P979, R971, R973, R976 P996, P999, P9912, R991, R993, R996, R999 P1269 R1261, R1263, R1266 P1299, R1291, R1293, R1296 P121212, R12121, R12123, R12126, R121212	Concrete strength 50MPa wet cast concrete, one layer of centrally located reinforcing steel, formed in rigid formwork and in accordance with AS3600. Nominal wall thickness of 100mm.	AS3996–Class D AS4198–Sewer AS3600–Exposure C

This schedule supersedes any previously issued schedule.

Assessment ID No:	CSI- 7087	**Certification date:**	05 July 2011
Issue date:	07 July 2011	**Expiry date:**	06 July 2012
Schedule No:	S1-Rev1-2011-07		

PAS-Mark

Azma Khan
Managing Director
Certification Solutions International Pty Ltd