



PRODUCT COMPLIANCE SCHEDULE

All Wholesale Frameless Glass Pty Ltd

Trading as;

DIY Wholesale Frameless Glass

COMPANY ADDRESS

2/4 Goodwin Street, Woolooware, NSW 2230, Australia

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

AS/NZS 2208:1996 Safety Glazing Materials in Buildings
(Including Amendment 1)


Product Description	Laminated safety glazing materials, Toughened laminated safety glazing materials. (PVB interlayer)
Classification	Grade "A"
Nominal Glass Thickness	10.38 mm and 12.38 mm Float Laminated glass 10.38 mm and 12.38 mm Float Toughened Laminated glass
Maximum Glass Size	2440mm × 6110mm
Glass Colours	Blue, Bronze, Clear, Green, Grey and White
PVB Nominal Thickness	0.38mm to 1.14mm
PVB Brand Name	HJPM

This schedule supersedes any previously issued schedule.

Assessment ID No: CSI-7108
Issue date: 15th March 2010
Schedule No: S2-Rev1-2010-03

Certification date: 12th March 2010
Expiry date: 11th March 2011

PAS-Mark


Azma Khan
Managing Director
Certification Solutions
International Pty Ltd

