



PRODUCT COMPLIANCE SCHEDULE

Hangzhou Ruifeng Glass Co., Ltd

COMPANY ADDRESS

Linping Industrial Park, Hangzhou City, Zhejiang Province, China.

This schedule identifies the Certified Product(s) on which the PAS-Mark and ID. Number may be used.

AS/NZS 2208:1996 Safety Glazing Materials in Buildings (Including Amendment 1)

Product Description	Laminated safety glazing materials, Toughened laminated safety glazing materials, (PVB interlayer)
Classification	Grade "A"
Nominal Glass Thickness	6.38 mm to 16.38 mm Float Laminated glass 8.38 mm to 12.38 mm Float Toughened Laminated glass
Maximum Glass Size	2800mm × 7000mm
Glass Colours	Blue, Bronze, Clear, Green, Grey and White
PVB Nominal Thickness	0.38mm to 1.14mm
PVB Brand Name	Bai Zan

This schedule supersedes any previously issued schedule.

Assessment ID No: CSI-7115
Issue date: 12th March 2010
Schedule No: S2-Rev1-2010-03

Certification date: 6th March 2010
Expiry date: 5th March 2011

PAS-Mark


Azma Khan
Managing Director
Certification Solutions
International Pty Ltd

